

Michael's®

Made by you™

Crystal Crown Bracelet



John Deed
ESTABLISHED 1954

What You'll Need

4mm Czech Crystal Bicone, Rose, SKU 10719441
Size 11/0 Czech Seed Beads, Metallic Gold, SKU 10627234
6mm Czech Crystal Round, Sapphire, SKU 10719498

18K Gold Round Toggle, 13mm, SKU 10697690
18K 5mm Wire Guardian, SKU 10697674
18K Jump Rings 5mm, SKU 10697675

Wildfire Beading Thread .006in Frost, SKU 10104818
Hard Beading Needle #10 SKU 10332394

Precision Scissors, SKU 10591717
Chain Nose Pliers, SKU 10334538

Beading Mat, SKU 10348546

Intermediate Beadweaving
1 Hour Class



Share your designs with us!
#JohnBead
#MakeItWithMichaels
[Join the John Bead Facebook Group!](#)

This cuff bracelet is gorgeous and luxurious! Combine Czech Crystal rounds and bicones in a creative stitch design with maximum sparkle. The finished bracelet in the shown design is 7" with clasp. See Step 2 for count and description for the number of repeats.

Abbreviations:

S11 - Size 11/0 Seed Bead

B4 - 4mm Bicone Crystal

R6 - 6mm Round Crystal

Step 1

Cut 110 inches of beading thread and thread on a hard beading needle. Leaving a 12 inch tail, string (4)B4. Go through the first B4 and tighten to form a ring. It will look like a square with the bicone crystals. Reinforce around one time.

Step 2


String (5)S11, (3)B4, and (5)S11. Skip the next B4 in the Step 1 ring and go through the second B4. Continue through the next two B4, then continue through the five S11 and three B4. String (1)B4. Go through the next B4. Pull to tighten. Repeat this step for a total of 15 repeats. Repeats are counted as squares of four B4. Each repeat = .4 inches.

Step 3


String (3)S11. Jump back around the B4 that your thread is exiting and go through the five S11. String (3)S11, jump over the next B4, and go through the next five S11. Repeat this down the side of the bracelet. When you reach the last set of five S11, go through the last B4. String (3)S11 and circle back around the B4, going through it so that the three S11 hug it.

Step 4


Go through the next two B4. String (3)S11, loop around the B4 you're exiting and go back through it, then continue through the five S11. Repeat Step 3 down this side of the bracelet. When you reach the last set of five S11, continue through the last B4. String (3)S11. Loop around that B4 and go back through it.




Step 1



Step 2



Step 2, Part 2



Steps 3 and 4

Step 5

Go through the next B4. String (3)S11, a wire guardian, and (3)S11. Go back through the B4 you're exiting. Reinforce twice through the three S11, wire guardian, and three S11, but on the second pass, when your thread is exiting the third S11 after the wire guardian, just before going back through the B4, instead, string (1)S11 and go through the first two S11 that hug the first, side B4.

Step 6

String (1)S11, (1)R6, and (1)S11. Skip the next seven S11 and go through the next S11. It will be the center S11 of the three that hug each B4. Repeat this down the side.

Step 7

Weave to exit from the end B4 and repeat Step 5 to attach the wire guardian on this side.

Step 8


Repeat Step 6 to add R6 down this side of the bracelet. Add (1)S11 before the (3)S11 heading into the and out of the wire guardian (see arrows). Use the tail thread on the starting side to match this addition.

Step 9


Weave in all remaining threads and trim. Open a 5mm jump ring and attach each side of a toggle clasp to the wire guardians on each side.



Step 5



Step 6



Steps 7 and 8